

WOODHEAD PUBLISHING SERIES IN BIOMATERIALS



POLYSACCHARIDE-BASED NANOCOMPOSITES FOR GENE DELIVERY AND TISSUE ENGINEERING



Edited by
SHOWKAT AHMAD BHAWANI
ZOHEB KARIM
MOHAMMAD JAWAID

Woodhead Publishing Series in Biomaterials

Polysaccharide-Based Nanocomposites for Gene Delivery and Tissue Engineering

Edited by

Showkat Ahmad Bhawani

Faculty of Resource Science and Technology,
Universiti Malaysia Sarawak (UNIMAS), Kota
Samarahan, Sarawak, Malaysia

Zoheb Karim

MoRe Research AB, Sweden

Mohammad Jawaid

Biocomposite Technology Laboratory, Institute
of Tropical Forestry and Forest Products
(INTROP), University Putra Malaysia (UPM),
Serdang, Selangor, Malaysia



ELSEVIER

WP

WOODHEAD
PUBLISHING

An imprint of Elsevier

Contents

Contributors	xiii
Editors' biographies	xvii
Preface	xxi
1 Polysaccharides	1
<i>Sadaf Afrin and Zoheb Karim</i>	
1.1 Introduction	1
1.2 Natural polysaccharide nanomaterials	1
1.3 Polysaccharides in nano-form	2
1.4 Nano-starch	2
1.5 Nanocelluloses	3
1.6 Nano-alginate	5
1.7 Nano-pectin	5
1.8 Nano-chitin and chitosan	7
1.9 Conclusion	11
References	11
2 Introduction to nanocomposites	15
<i>Abu Tariq, Showkat Ahmad Bhawani, Mohd Razip Asaruddin, and Khalid M. Alotaibi</i>	
2.1 Introduction	15
2.2 Classification of nanocomposites	17
2.3 Structure and processing of nanocomposites	19
2.4 Benefits and new trends in nanocomposites	25
2.5 Future perspective and conclusion	27
References	30
Section A Polysaccharide-based nanocomposites for tissue engineering	39
3 Chitosan and its derivatives-based dimensional frameworks as carrier for gene delivery	41
<i>Mohammad Ashfaq and Asrar Ahmad</i>	
3.1 Introduction	41
3.2 Chitosan	43
3.3 Strategies for improving gene transfer efficiency	49

3.4	Challenges and limitations associated with chitosan-based nanocomposites for gene delivery	52
3.5	Conclusion and future assessments	53
	References	53
4	Alginate-based hydrogels for tissue engineering	59
	<i>Abhishek Kumar, Anant Narayan Bhatt, Laishram Rajendra Kumar Singh, Zoheb Karim, and Mohd Saquib Ansari</i>	
4.1	Introduction	59
4.2	Structure and composition of alginate	59
4.3	Hydrogels	60
4.4	Alginate hydrogels in tissue engineering	62
4.5	Limitations of using alginate hydrogels	66
4.6	Conclusion	66
	References	66
5	Hyaluronic acid-based hydrogel for tissue engineering	71
	<i>Maya Asyikin Mohamad Arif</i>	
5.1	Introduction to tissue engineering	71
5.2	Overview of hydrogel	71
5.3	Chemical modification of hyaluronic acid	72
5.4	Application of hyaluronic acid-based hydrogel in tissue engineering	73
5.5	Conclusion	77
	References	77
6	Heparin-based nanocomposites for tissue engineering	81
	<i>Sunita Barik, Rahul Kumar Sharma, and Chinmayi Rath</i>	
6.1	Introduction	81
6.2	Preparation of heparin-based nanocomposites	83
6.3	How heparin-based nanocomposites assist in tissue engineering	89
6.4	Heparin-based systems and their tissue engineering applications	92
6.5	Conclusion	97
	References	97
7	Polysaccharide-based nanocomposites for gene delivery and tissue engineering	103
	<i>Mohammad Oves, Mohd Ahmar Rauf, Mohammad Omaish Ansari, Mohiuddin Khan Warsi, Afzal Hussain, and Iqbal I.M. Ismail</i>	
7.1	Introduction	103
7.2	Polysaccharides	105

7.3	Nanocomposite fabrication	106
7.4	Prospects and conclusions	120
	References	121
8	Dextran and pullulan-based hybrid materials for tissue engineering applications	131
	<i>Anuradha Biswal and Sarat K Swain</i>	
8.1	Introduction	131
8.2	Nanocomposite as tissue engineering scaffolds: Trends and recent progress	136
8.3	Dextran and pullulan-based nanocomposites and their application in tissue engineering	142
8.4	Conclusion	147
	Acknowledgment	147
	References	148
9	Gellan and xanthan-based nanocomposites for tissue engineering	155
	<i>Md. Wahidur Rahman and M. Tarik Arafat</i>	
9.1	Introduction	155
9.2	Extraction and processing	156
9.3	Structure and properties	158
9.4	Application	164
9.5	Conclusions and further directions	183
	References	184
10	Xanthan gum-based nanocomposites for tissue engineering	191
	<i>Abu Tariq, Showkat Ahmad Bhawani, and Khalid M. Alotaibi</i>	
10.1	Introduction	191
10.2	Structure, biochemistry, and modifications of xanthan gum	193
10.3	Applications of xanthan gum	194
10.4	Xanthan gum nanocomposites for tissue engineering	195
10.5	Conclusion and future perspective	199
	References	199
11	Polysaccharide-based 3D bioprinter inks for tissue engineering	207
	<i>Aydin Tahmasebifar, Bengi Yilmaz, and Erkan Türker Baran</i>	
11.1	Introduction	207
11.2	3D printable polysaccharides	211
11.3	Conclusion and future trends	236
	References	237

Section B Polysaccharide based nanocomposites for gene delivery	243
12 Chitosan-based nanocomposites for gene delivery:	245
Application and future perspectives	245
<i>Asim Ali Yaqoob, Akil Ahmad, Mohamad Nasir Mohamad Ibrahim, and Mohd Rashid</i>	
12.1 Introduction	245
12.2 Chitosan—A biopolymer	247
12.3 Properties of chitosan	249
12.4 Significance of chitosan nanocomposites	251
12.5 Applications of chitosan nanocomposites	253
12.6 Application in gene delivery	254
12.7 Future perspective and concluding remarks	256
Acknowledgments	257
Conflicts of interest	257
References	257
13 Starch-based nanocomposites for gene delivery	263
<i>Abu Tariq, Showkat Ahmad Bhawani, Mehvish Nisar, Mohd Razip Asaruddin, and Khalid M. Alotaibi</i>	
13.1 Introduction	263
13.2 Starch-based nanocomposites	266
13.3 Applications of starch-based nanocomposites	269
13.4 Final remark and future perspective	271
References	272
14 Chitosan magnetic nanocomposites for gene delivery	279
<i>Vannessa Lawai and Zainab Ngaini</i>	
14.1 Introduction: Gene therapy	279
14.2 Chitosan	281
14.3 Magnetic nanocomposite	283
14.4 Chitosan magnetic nanocomposite in gene therapy	287
14.5 Conclusion	290
References	290
15 Starch magnetic nanocomposites for gene delivery	295
<i>Mohd Jahir Khan and Zoheb Karim</i>	
15.1 Introduction	295
15.2 Starch	296
15.3 Magnetic nanoparticles	297
15.4 Surface modification of magnetic nanoparticles	298
15.5 Gene delivery	299

Hyaluronic acid-based hydrogel for tissue engineering

5

Maya Asyikin Mohamad Arif

Faculty of Resource Science and Technology, University Malaysia Sarawak,
Kota Samarahan, Sarawak, Malaysia

5.1 Introduction to tissue engineering

The past 30 years have seen increasingly rapid advances in the field of tissue engineering, an interdisciplinary field that involves biomaterials science, cell biology, cell-material interaction, as well as surface characterization. Tissue engineering plays an important role in the restoration, preservation of damaged tissues or whole organs, as well as in the construction of new tissues to replace the lost tissues. Restoration or creation of new tissues normally involves four components, which are progenitor or stem cells, biomaterial scaffold, signaling proteins, and bioreactors. To develop a tissue, usually, the stem cells are first isolated from the tissue of interest, normally obtained from patients' small tissue biopsy. The isolated cells are then cultured and harvested in vitro. The isolated cells are then loaded into a three-dimensional biomaterial scaffold that has similar properties with the normal extracellular matrices (ECMs) of the selected tissues. Subsequently, the cell-implanted scaffolds are injected into the patient either through a needle or other minimally invasive delivery procedure. The fabricated tissue can also be transplanted into a patient's body through surgery. Of all the key components, the design of biomaterial scaffold with optimum characteristics is very crucial to ensure success in tissue engineering. Over the years, the role of hydrogels as a biomaterial scaffold in tissue engineering has received increased attention thanks to their desirable framework for cell growth and survival, on top of their unique properties and resemblances with the natural extracellular matrices (ECMs).

5.2 Overview of hydrogel

A hydrogel is referred to as three-dimensional (3D) cross-linked polymer scaffolds that form a macromolecular network capable of maintaining high water content. The hydrogel can be prepared from natural polymers such as collagen, gelatine, alginate, hyaluronic acid, and chitosan [1], as well as from synthetic materials such as polyethylene glycol (PEG) [2, 3], polyacrylamide (PAA) [4–6], polydimethylsiloxane (PDMS). Hydrogels can either be formed through physical or chemical cross-linking methods. To mimic the ECM and regenerate new tissue, the design of hydrogel must adhere to several criteria. For instance, a hydrogel scaffold should contain 3D